

## **AMENDMENTS TO THE CLAIMS:**

The listing of claims will replace all prior versions, and listings of claims in the application:

### **LISTING OF THE CLAIMS**

1. (Canceled)

2. (Previously Presented) In a system utilizing a fine grinding wheel, the wheel having a fine grinding surface with an outer radial extent to an outer diameter,

the improvement of a dressing wheel system, the dressing wheel system including dressing material, said dressing material having a radial extent less than the radial extent of the fine grinding surface, means to bring said dressing material and the outer radial extent of the fine grinding surface into physical contact,

movement means to move said dressing material and the fine grinding surface relative to one another and,

means to flex the outer radial extent of the grinding surface to form a concave surface during operation of said movement means to provide a flat to convex shape to the fine grinding surface.

3-23. (Canceled)

24. (Previously Presented) In a system utilizing a fine grinding wheel, the wheel having a fine grinding surface with a radial extent to an outside diameter, the system having a production carrier assembly including planet gears and a pinion drive,

the improvement of a dressing wheel system, the dressing wheel system including dressing material, said dressing material having a radial extent less than the radial extent of the fine grinding surface, means to bring said dressing material and the radial extent of the fine grinding surface into physical contact,

movement means to move said dressing material and the fine grinding surface relative to one another to provide a convex shape to the fine grinding surface,

said movement means utilizing at least part of the production carrier assembly and the pinion drive, and said convex shape including a taper.

25. (Original) The system of claim 24 characterized in that said convex shape includes at least one step.

26. (Previously Presented) In a system utilizing a fine grinding wheel, the wheel having a fine grinding surface with a radial extent to an outside diameter, the system having a production carrier assembly including planet gears and a pinion drive,

the improvement of a dressing wheel system, the dressing wheel system including dressing material, said dressing material having a radial extent less than the radial extent of the fine grinding surface, means to bring said dressing material and the radial extent of the fine grinding surface into physical contact,

movement means to move said dressing material and fine grinding surface relative to one another to provide a convex shape to the fine grinding surface,

said movement means utilizing at least part of the production carrier assembly and the pinion drive, and said convex shape is a curved shape.

27-30. (Canceled)

31. (Currently Amended) In a system utilizing a fine grinding wheel, the wheel having a fine grinding surface with an outer radial extent neighboring an outside circumference,

the fine grinding wheel being used in a system having a production assembly the improvement of the outer 20-40% of the outer radial extent of the fine grinding wheel having a convex shape, wherein the fine grinding surface is formed of cutting materials embedded in a carrier and characterized by the dressing wheel system including removal means to remove the carrier to expose the cutting materials.

and said outer 20-40% of the outer radial extent of the grinding wheel being dressed to said convex shape utilizing at least part of the production assembly, and

said fine grinding wheel is dressed by differential movement means that includes planet gears and means selectively to insert said removal means to said planet gears.

32. (Currently Amended) The system of claim 31 characterized in that ~~the fine grinding wheel is dressed by differential movement means and~~ said differential movement means including at least part of the production assembly.

33. (Canceled)

34. (Currently Amended) The system of claim ~~33~~ 31 wherein said ~~the system~~ includes a production assembly having a pinion drive gear and characterized by said differential movement means of said dressing wheel system utilized the pinion drive gear.

35. (Previously Presented) The system of claim 34 wherein the pinion drive has a gear with a diameter and characterized in that said differential movement means includes an intermediate pinion extender gear, and said extender gear increasing the apparent diameter of the pinion drive gear.

36-41. (Canceled)